ELSEVIER

Forest Ecology and Management 210 (2005) 479–481

Forest Ecology and Management

www.elsevier.com/locate/foreco

Contents of *Forest Ecology and Management*, Volume 210

VOLUME 210, ISSUES 1–3 **16 MAY 2005**

Review article

Spatial distribution and sampling of *Thaumetopoea pityocampa* (Den. & Schiff.) (Lep. Thaumetopoeidea) populations on *Pinus pinaster* Ait. in Montesinho, N. Portugal
P.S. Arnaldo and L.M. Torres (Vila Real, Portugal) 1

Regular articles

A national forest resources assessment for Costa Rica based on low intensity sampling
C. Kleinn (Göttingen, Germany), C. Ramírez (Turrialba, Costa Rica), P. Holmgren (Rome, Italy), S.L. Valverde and G. Chavez (SanJose, Costa Rica) 9
Monitoring forest dynamics using satellite imagery—a case study in the natural reserve of Changbai Mountain in China
Q.-J. Liu, X.-R. Li, Z.-Q. Ma (Beijing, China) and N. Takeuchi (Chiba City, Japan) 25
To what extent do forest herbs recover after clearcutting in beech forest?
S. Godefroid, S. Rucquoij and N. Koedam (Brussels, Belgium) 39
Vegetation recovery monitoring and assessment at landslides caused by earthquake in Central Taiwan
W.-T. Lin (Changhua County, Taiwan), W.-C. Chou (Hsinchu City, Taiwan), C.-Y. Lin, P.-H. Huang (Taichung City, Taiwan) and J.-S. Tsai (Hsinchu City, Taiwan) 55
Microsite patterns of conifer seedling establishment and growth in a mixed stand in the southern Alps
U. Hunziker (Zürich, Switzerland) and P. Brang (Birmensdorf, Switzerland) 67
Within-tree variation of heartwood and ring width in maritime pine (*Pinus pinaster* Ait.)
S. Knapic and H. Pereira (Lisboa, Portugal) 81
Ecological factors controlling the abundance of non-native invasive black cherry (*Prunus serotina*) in deciduous forest understory in Belgium
S. Godefroid, S.S. Phartyal, G. Weyembergh and N. Koedam (Brussels, Belgium) 91
Assessing the recovery of a long-lived herb following logging: *Trillium ovatum* across a 424-year chronosequence
A. Kahmen (Vienna, Austria) and E.S. Jules (Arcata, USA) 107
Effects of the interaction between drought and shade on water relations, gas exchange and morphological traits in cork oak (*Quercus suber* L.) seedlings
I. Aranda, L. Castro, M. Pardos, L. Gil and J.A. Pardos (Madrid, Spain) 117
The effects of clearcutting on snowshoe hare (*Lepus americanus*) relative abundance in central Labrador
T.L. Newbury and N.P.P. Simon (Nfld, Canada) 131
The abundance and distribution of rattan over an elevation gradient in Sulawesi, Indonesia
S.F. Siebert (Missoula, MT, USA) 143
Modelling the edge effect in even-aged Monterey pine (*Pinus radiata* D. Don) stands
J. Cancino (Concepción, Chile) 159
Genetic variation in foliar nutrient concentration in relation to foliar carbon isotope composition and tree growth with clones of the F_1 hybrid between slash pine and Caribbean pine
N.V. Prasolova (Nathan, Australia), Z.H. Xu (Nathan, Australia, Indooroopilly, Australia and Australia) and K. Lundkvist (Uppsala, Sweden) 173

doi:10.1016/S0378-1127(05)00245-8

Hybrid and clonal variability of nutrient content and nutrient use efficiency in Eucalyptus stands in Congo
R. Safou-Matondo, P. Deleporte (Pointe-Noire, Congo), J.P. Laclau (Piracicaba, Brazil) and J.P. Bouillet (Montpellier, France) . . . 193
Correspondence of the fine-scale spatial variation in soil chemistry and the herb layer vegetation in beech forests
H. Bruelheide and P. Udelhoven (Halle, Germany) . . . 205
High differentiation among populations of the woody legume *Sesbania sesban* in sub-Saharan Africa: Implications for conservation and cultivation during germplasm introduction into agroforestry systems
R. Jamnadass, J. Hanson, J. Poole, O. Hanotte, T.J. Simons and I.K. Dawson (Nairobi, Kenya) . . . 225
Fluxes of CO_2, CH_4 and N_2O from drained coniferous forests on organic soils
K.V. Arnold (Linköping, Sweden), P. Weslien (Göteborg, Sweden), M. Nilsson (Umeå, Sweden), B.H. Svensson (Linköping, Sweden) and L. Klemedtsson (Göteborg, Sweden) . . . 239
Relationship between seedbed properties and the emergence of spruce germinants in recently cut Norway spruce selection stands in Southern Finland
S. Valkonen (Vantaa, Finland) and D.A. Maguire (Corvallis, OR, USA) . . . 255
Dead wood in European beech (*Fagus sylvatica*) forest reserves
M. Christensen, K. Hahn (Frederiksberg, Denmark), E.P. Mountford (Oxford, UK), P. Ódor, T. Standovár (Budapest, Hungary), D. Rozenbergar, J. Diaci (Ljubljana, Slovenia), S. Wijdeven (Wageningen, The Netherlands), P. Meyer (Göttingen, Germany), S. Winter (Eberswalde, Germany) and T. Vrska (Brno, Czech Republic) . . . 267
Growth response of three native timber species to soils with different arbuscular mycorrhizal inoculum potentials in South Cameroon. Indigenous inoculum and effect of addition of grass inoculum
N.A. Onguene (Yaoundé, Cameroon) and T.W. Kuyper (Wageningen, The Netherlands) . . . 283
Survival and growth responses of *Populus nigra*, *Salix elaeagnos* and *Alnus incana* cuttings to varying levels of hydric stress
R.A. Francis, A.M. Gurnell (London, UK), G.E. Petts (Birmingham, UK) and P.J. Edwards (Zürich, Switzerland) . . . 291
Variation in the chemical composition of green leaves and leaf litters from three deciduous tree species growing on different soil types
T. Sariyildiz and J.M. Anderson (Exeter, UK) . . . 303
Effects of silvicultural treatments and seasonal patterns on foliar nutrients in young post-fire *Pinus halepensis* forest stands
F.R. López-Serrano, J. de las Heras, A.I. González-Ochoa and F.A. García-Morote (Albacete, Spain) . . . 321
The impact of windthrow on carbon sequestration in Switzerland: a model-based assessment
E. Thürig (Birmensdorf, Switzerland), T. Palosuo (Joensuu, Switzerland), J. Bucher and E. Kaufmann (Birmensdorf, Switzerland) . . . 337
Floristic regeneration in five types of teak plantations in Thailand
P. Kaewkrom, J. Gajaseni (Bangkok, Thailand), C.F. Jordan (Athens, GA, USA) and N. Gajaseni (Bangkok, Thailand) . . . 351
Long-term dynamics of large woody debris in a managed boreal forest stream
N. Dahlström, K. Jönsson (Sundsvall, Sweden) and C. Nilsson (Sundsvall, Sweden and Umeå, Sweden) . . . 363
Nutrient cycling in a clonal stand of *Eucalyptus* and an adjacent savanna ecosystem in Congo. 3. Input–output budgets and consequences for the sustainability of the plantations
J.-P. Laclau (Pointe-Noire, République du Congo), J. Ranger (Seichamps, France), P. Deleporte, Y. Nouvellon (Pointe-Noire, République du Congo), L. Saint-André, S. Marlet (Montpellier, France) and J.-P. Bouillet (Pointe-Noire, République du Congo) . . . 375
The increasing scarcity of red oaks in Mississippi River floodplain forests: Influence of the residual overstory
C.D. Oliver (New Haven, CT, USA), E.C. Burkhardt (Vicksburg, MS, USA) and D.A. Skojac (Stoneville, MS, USA) . . . 393
Effects of white-tailed deer on vegetation structure and woody seedling composition in three forest types on the Piedmont Plateau
C.R. Rossell Jr. (Asheville, NC, USA), B. Gorsira (Manassas, VA, USA) and S. Patch (Asheville, NC, USA) . . . 415
Stand growth scenarios for *Tectona grandis* plantations in Costa Rica
D. Pérez (Turrialba, Costa Rica) and M. Kanninen (Jakarta, Indonesia) . . . 425
A functional analysis of streamside habitat use by southern Appalachian salamanders: Implications for riparian forest management
J.W. Petranka (Asheville, NC, USA) and C.K. Smith (High Point, NC, USA) . . . 443

Short communications

Required sample size for estimating soil respiration rates in large areas of two tropical forests and of two types of plantation in Malaysia
M. Adachi (Gifu, Japan), Y.S. Bekku (Tsuru, Japan), A. Konuma (Tsukuba, Japan), W.R. Kadir (Kepong, Malaysia), T. Okuda (Tsukuba, Japan) and H. Koizumi (Gifu, Japan) . . . 455
Season and substrate effects on the first-year establishment of current-year seedlings of major conifer species in an old-growth subalpine forest in central Japan
A. Mori and E. Mizumachi (Kyoto, Japan) . . . 461

Effects of flow rate and chamber position on measurement of stem respiration rate with an open flow system in a Japanese red pine
M.H. Kim and K. Nakane (Higashi-Hiroshima, Japan) 469

Erratum

Erratum to "Effect of microsites, logs and ungulate browsing on *Picea abies* regeneration in a mountain forest" [For. Ecol. Manage. 205 (2005) 251–265]
A.D. Kupferschmid and H. Bugmann (Zürich, Switzerland) 477

Contents of *Forest Ecology and Management*, Volume 210 479